



POSTERIOR SOCKET GRAFT



1. 3 weeks post extraction flap raised to show granulation tissue.



2. Site cleaned with EthOss® Degranulation Bur.



3. Grafted with EthOss® to ridge level.



4. Healed site 5 days later - sutures removed.




5. 12 weeks later healed site.



6. Core Sample being taken and sent for histological analysis (see 18).

POSTERIOR SOCKET GRAFT



7. Implant placed, Osstell meter used to measure stability, reading at 62 ISQ.



8. Ready to load at 10 weeks, healthy attached gingiva.




9. Osstell reading taken - now 75 ISQ.



10. Healed peri-implant soft tissue.




11. Loaded Case.




12. Radiograph of cleaned site, before grafting.


POSTERIOR SOCKET GRAFT




13. Radiograph of grafted site.




14. Radiograph at 12 weeks.




15. Osteotomy in core site.



16. Radiograph of placed Implant.



17. Radiograph of loaded case.



18. Histology of core from University of Minnesota, showing 50% new bone at 12 weeks.



GROW STRONGER

USEFUL RESOURCES

RECOMMENDED CLINICAL PROTOCOL

Clinical study showcasing recommended clinical protocol for EthOss

Download

SURGICAL GUIDELINES

The official recommended guide on how to use EthOss

Download

HOW TO MIX ETHOSS

Explainer video

Watch