



# Q-Optics Loupes & LED Lighting



TrueFit® technology, a Q-Optics exclusive, helps ensure that your custom TTL Loupes are the perfect fit for you. The human face is one of the most subtly complex parts of the human body and the fit of your loupes should be more than determining the width of your eyes. Custom measurement, custom fitting, and custom fabrication are what set us apart. A fit as unique as you.







**CAPTURE** 

**ANALYZE** 

BUILD

### **ERGONOMICS AND OPTICS MEET**

Q-Optics loupes can bring your work area into a more defined and clear focus to prevent physical strain on your body and allow you to stay comfortable while practicing for years to come. Q-Optics has always been a standard of excellence in optics and ergonomics.

What's your "ergo" style?



**NECK 0-15°** 



BACK 0°-5°



HIP 105°-125°




ELBOW ±90°





# **FRAMES**





### Removable RX

for Eclipse only (Classic and Panto have integrated RX)

- · Ability to wear contacts and glasses
- · No down time with change in RX

# **MAGNIFICATION** ERGO-DIRECT





# **GALILEAN**

F-2.5x F-3.0x F-3.5x

Ро	wer	Model #	Field o	of View	Weight
2.	5x	F-2.5TTL	7 – 1	0 cm	43.0 g
3.	0x	F-3.0TTL	5 – 8	8 cm	44.0 g
3.	5x	F-3.5TTL	3 – 4	4 cm	47.5 g

# **PRISMATIC**

P-3.5x P-4.0x P-4.5x

Power	Model #	Field of View	Weight
3.5x	P-3.5TTL	8 - 10 cm	53.0 g
4.0x	P-4.0TTL	7 - 8 cm	54.0 g
4.5x	P-4.5TTL	4 - 5 cm	58.0 g

# MAGNIFICATION ERGO-ANGLE



# ERGO-PRO™

EP-3.5x EP-4.0x EP-4.5x

Power	Model #	Field of View	Weight
3.5x	EP-3.5TTL	8 - 10cm	48.5 g
4.0x	EP-4.0TTL	7 - 8 cm	49.7 g
4.5x	EP-4.5TTL	4 - 5 cm	50.7 g

## ILLUMINATION

# 90 CRI RADIANT™ HEADLIGHTS

The vibrant Q-Optics Radiant Wired Headlight System is the innovative, colorrendering LED that focuses on sustained, peak brightness making it easier to see each and every shade and hue.



### IMPROVED CLARITY ■ TRUE COLOR ACCURACY ■ SUPERIOR BRIGHTNESS



### RADIANT™ LIGHT SYSTEM WIRED HEADLIGHT

Weight	5.6 grams	
Light Intensity	Up to 4352 FC / 46844 Lux / 85 Lumens	
Color	5700K Natural 90 CRI Color Rendering Index	
Battery Life	Low Intensity - 40+ hours High Intensity - 8+ hours	
Charge Time	Approx. 4.5 hours (empty to full)	
Battery Type	Li-Ion, 3.6 V	



### RADIANT™ LIGHT SYSTEM **CORDLESS HEADLIGHT**

Weight	25.8 grams	
Light Intensity	Up to 2431 FC / 26167 Lux / 60 Lumens	
Color	5700K Natural 90 CRI Color Rendering Index	
Battery Life (each)	Approx. 2 hours	
Charge Time (each)	Approx. 1 hour 30 minutes (empty to full)	
Battery Type	Li-Ion, 3.6 V	

Radiant™ Headlight Systems adapt to fit ALL loupe brands

### Lifetime Guarantee on Titanium frames, optical seal, bond of telescope to the frame, and cracking of the frame lens







### **Swallow Dental Supplies Ltd.**

5 Marrtree Business Park, Ryefield Way, Silsden, West Yorkshire. BD20 OFF

